

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	867	(341/106,107,68).CCLS.	USPAT	OR	OFF	2005/07/25 10:43
L2	3678	series data generator calculator (zero or zeros)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/25 10:44
L3	3	series data generator calculator (zero or zeros)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/07/25 10:45
L4	24	series data generator calculator (zero or zeros)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/25 10:44
L5	1794	series data generator (zero or zeros)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/25 10:44
L6	75	series data generator (zero or zeros)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/07/25 10:44
L7	0	series data generator (zero or zeros)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/07/25 10:44
L8	0	series data generator (zero or zeros)and l1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/07/25 10:44
L9	4	series data generator (zero or zeros)and l1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/25 10:44

L10	1	series data generator (zero or zeros)and l1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/07/25 10:44
L11	5	series generator calculator (zero or zeros)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/07/25 10:45
L12	75	series generator calculator (zero or zeros)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/25 10:45
L13	0	series generator calculator (zero or zeros) l1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/25 10:45
L14	2	series generator calculator (zero or zeros)and l1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/25 10:45
L15	1	series generator calculator (zero or zeros)and l1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/07/25 10:46
L16	1	series generating calculator (zero or zeros)and l1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/25 10:46
L17	43	series generating calculator (zero or zeros)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/25 10:46

L18	5	series generating calculator (zero or zeros)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/07/25 10:47
L19	80	generating calculator (zero or zeros)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/07/25 10:47
L20	273	generating calculator (zero or zeros)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/25 10:47
L21	5	generating calculator (zero or zeros)and l1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/25 10:47


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide



The ACM Digital Library


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

 Terms used series data generator

Found 12,115 of 158,639

Sort results by


[Save results to a Binder](#)

 Try an [Advanced Search](#)

Display results


[Search Tips](#)

 Try this search in [The ACM Guide](#)
☐ Open results in a new window

Results 1 - 20 of 200

 Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

 Relevance scale ☐ ☐ ☐ ☐ ☐

### 1 [Concise reference manual for the Series macro package](#)

Richard C. Waters

 July 1989 **ACM SIGPLAN Lisp Pointers**, Volume III Issue 1

Full text available: pdf(1.85 MB)

 Additional Information: [full citation](#), [abstract](#), [index terms](#)

Series expressions are transformed into loops by pipelining them---the computation is converted from a form where entire series are computed one after the other to a form where the series are incrementally computed in parallel. In the resulting loop, each individual element is computed just once, used, and then discarded before the next element is computed. For this pipelining to be possible, four restrictions have to be satisfied. Before looking at these restrictions, it is useful to consider a ...

### 2 [Proceedings of a conference on Application Development Systems, Santa Clara, California, March 10-11, 1980: DESP: a COBOL program generator for IDMS data bases & serial files](#)

Paul J. Horvath

 January 1980 **ACM SIGMIS Database**, Volume 11 Issue 3

Full text available: pdf(956.21 KB)

 Additional Information: [full citation](#)

### 3 [Automatic transformation of series expressions into loops](#)

Richard C. Waters

 January 1991 **ACM Transactions on Programming Languages and Systems (TOPLAS)**, Volume 13 Issue 1

Full text available: pdf(3.36 MB)

 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

The benefits of programming in a functional style are well known. In particular, algorithms that are expressed as compositions of functions operating on sequences/vectors/streams of data elements are easier to understand and modify than equivalent algorithms expressed as loops. Unfortunately, this kind of expression is not used anywhere near as often as it could be, for at least three reasons: (1) most programmers are less familiar with this kind of expression than with loops; (2) most pro ...


**Keywords:** sequences, series, streams, vectors

#### 4 A parallel/serial trade-off methodology for look-up table based decoders

Claus Schneider

June 1997 **Proceedings of the 34th annual conference on Design automation - Volume 00**

Full text available:



[Publisher Site](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)


A methodology for architecture exploration of look-up tablebased decoders is presented. For the degree of parallel processinga trade-off can be made by exploring system leveland register transfer level models. Executable specifications(pure functional software models, VHDL behavior models)are used to analyze the performance of different architectures.Hardware cost (area) and feasibility (timing) aredetermined by synthesis of RTL models. These models aregenerated directly out of the specification ...

#### 5 Research track: Generating English summaries of time series data using the Gricean maxims

Somayajulu G. Sripada, Ehud Reiter, Jim Hunter, Jin Yu

August 2003 **Proceedings of the ninth ACM SIGKDD international conference on Knowledge discovery and data mining**

Full text available:



Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

We are developing technology for generating English textual summaries of time-series data, in three domains: weather forecasts, gas-turbine sensor readings, and hospital intensive care data. Our weather-forecast generator is currently operational and being used daily by a meteorological company. We generate summaries in three steps: (a) selecting the most important trends and patterns to communicate; (b) mapping these patterns onto words and phrases; and (c) generating actual texts based on thes ...


**Keywords:** Gricean maxims, natural language processing, summarization, time series data

#### 6 A Fast Diagnosis Scheme for Distributed Small Embedded SRAMs

Baosheng Wang, Yuejian Wu, Andre Ivanov

March 2005 **Proceedings of the conference on Design, Automation and Test in Europe - Volume 2**

Full text available:



Additional Information: [full citation](#), [abstract](#)

This paper proposes a diagnosis scheme aimed at reducing diagnosis time of distributed small embedded SRAMs (e-SRAMs). This scheme improves the one proposed in [A parallel built-in self-diagnostic method for embedded memory buffers, A parallel built-in self-diagnostic method for embedded memory arrays]. The improvements are mainly two-fold. On one hand, the diagnosis of time-consuming Data Retention Faults (DRFs), which is neglected by the diagnosis architecture in [A parallel built-in self-diag ...


**Keywords:** Distributed Small Embedded SRAMs, Memory Diagnosis, Data Retention Fault, SPC, PSC, Diagnosis Time

#### 7 An interactive Automated Test Data Generator

Robert H. Hoffman

October 1976 **Proceedings of the annual conference**

Full text available:



Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)


The Automated Test Data Generator (ATDG), a tool which supports the generation of test inputs for UNIVAC 1100 Series FORTRAN software, is described. The detection of structural

and data flow errors, a second function of the tool, is also described. Although the mathematical techniques represented in ATDG are included through appropriate references, the main theme of the paper is the presentation of the capabilities and operational characteristics of the system. Some of the significant advan ...

#### 8 Analysis of the constraint solver in UNA based test data generation

Jon Edvardsson, Mariam Kamkar

September 2001 **ACM SIGSOFT Software Engineering Notes , Proceedings of the 8th European software engineering conference held jointly with 9th ACM SIGSOFT international symposium on Foundations of software engineering**, Volume 26 Issue 5

Full text available:  [pdf\(271.19 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)


In a series of articles Gupta et al. develop a framework for automatic test data generation for computer programs. In general, their approach consists of a branch predicate collector, which derives a system of linear inequalities representing the branch predicates for a given path in the program. This system is solved using a solving technique of theirs called the Unified Numerical Approach (UNA) [5, 7]. In this paper we show that in contrast to traditional optimization methods the UNA is not bo ...

**Keywords:** constraint solver, unified numerical approach

#### 9 Compiler parallelization of an elliptic grid generator for 1990 Gordon Bell prize

Gary Sabot, Lisa Tennes, Alex Vasilevsky, Richard Shapiro

August 1991 **Proceedings of the 1991 ACM/IEEE conference on Supercomputing**

Full text available:  [pdf\(808.43 KB\)](#) Additional Information: [full citation](#), [references](#), [index terms](#)

#### 10 Artificial immune systems: The application of antigenic search techniques to time series forecasting

Ian Nunn, Tony White

June 2005 **Proceedings of the 2005 conference on Genetic and evolutionary computation GECCO '05**

Full text available:  [pdf\(183.78 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Time series have been a major topic of interest and analysis for hundreds of years, with forecasting a central problem. A large body of analysis techniques has been developed, particularly from methods in statistics and signal processing. Evolutionary techniques have only recently have been applied to time series problems. To date, applications of artificial immune system (AIS) techniques have been in the area of anomaly detection. In this paper we apply AIS techniques to the forecasting problem ...

**Keywords:** antigenic search, artificial immune systems, forecasting, time series

#### 11 Search-based software engineering: Improving network applications security: a new heuristic to generate stress testing data

Concettina Del Grosso, Giuliano Antoniol, Massimiliano Di Penta, Philippe Galinier, Ettore Merlo

June 2005 **Proceedings of the 2005 conference on Genetic and evolutionary computation GECCO '05**

Full text available:  [pdf\(201.81 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Buffer overflows cause serious problems in different categories of software systems. For example, if present in network or security applications, they can be exploited to gain

unauthorized grant or access to the system. In embedded systems, such as avionics or automotive systems, they can be the cause of serious accidents. This paper proposes to combine static analysis and program slicing with evolutionary testing, to detect buffer overflow threats. Static analysis identifies vulnerable statement ...

**Keywords:** evolutionary testing, security, stress testing, test data generation

## 12 Tools: A user-friendly self-similarity analysis tool

Thomas Karagiannis, Michalis Faloutsos, Mart Molle

July 2003 **ACM SIGCOMM Computer Communication Review**, Volume 33 Issue 3


Full text available:  [pdf\(629.29 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#)

The concepts of self-similarity, fractals, and long-range dependence (LRD) have revolutionized network modeling during the last decade. However, despite all the attention these concepts have received, they remain difficult to use by non-experts. This difficulty can be attributed to a relative complexity of the mathematical basis, the absence of a systematic approach to their application and the absence of publicly available software. In this paper, we introduce SELFIS, a comprehensive tool, to f ...

## 13 Expressional loops

Richard C. Waters

January 1984 **Proceedings of the 11th ACM SIGACT-SIGPLAN symposium on Principles of programming languages**


Full text available:  [pdf\(1.03 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

This paper proposes an expressional loop notation (XLoop) based on the ideas described in [16,17] which makes it practical to express loops as compositions of functions. The primary benefit of XLoop is that it brings the powerful metaphor of expressions and decomposability to bear on the domain of loops. Wherever this metaphor can be applied, it makes algorithms much easier to construct, understand, and modify. XLoop applies the expressional metaphor to loops by introducing a new ...

## 14 Data replicas in distributed information services

H. M. Gladney

March 1989 **ACM Transactions on Database Systems (TODS)**, Volume 14 Issue 1

Full text available:  [pdf\(1.94 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#), [review](#)

In an information distribution network in which records are repeatedly read, it is cost-effective to keep read-only copies in work locations. This paper presents a method of updating replicas that need not be immediately synchronized with the source data or with each other. The method allows an arbitrary mapping from source records to replica records. It is fail-safe, maximizes workstation autonomy, and is well suited to a network with slow, unreliable, and/or expensive communications links ...

## 15 Memory simulators and software generators

Guillermo Jiménez-Pérez, Don Batory


May 1997 **ACM SIGSOFT Software Engineering Notes , Proceedings of the 1997 symposium on Software reusability**, Volume 22 Issue 3

Full text available:  [pdf\(1.30 MB\)](#) Additional Information: [full citation](#), [references](#), [index terms](#)

## 16 Efficient high-level iteration with accumulators

Robert D. Cameron

April 1989 **ACM Transactions on Programming Languages and Systems (TOPLAS)**,  
Volume 11 Issue 2

Full text available:  [pdf\(1.25 MB\)](#)


Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Accumulators are proposed as a new type of high-level iteration construct for imperative languages. Accumulators are user-programmed mechanisms for successively combining a sequence of values into a single result value. The accumulated result can either be a simple numeric value such as the sum of a series or a data structure such as a list. Accumulators naturally complement constructs that allow iteration through user-programmed sequences of values such as the iterators of ...

## 17 Modeling languages versus matrix generators for linear programming

Robert Fourer

June 1983 **ACM Transactions on Mathematical Software (TOMS)**, Volume 9 Issue 2

Full text available:  [pdf\(2.86 MB\)](#)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

## 18 Generators and the replicator control structure in the parallel environment of ALLOY

Thanasis Mitsolidis, Malcolm Harrison

June 1990 **ACM SIGPLAN Notices , Proceedings of the ACM SIGPLAN 1990 conference on Programming language design and implementation**, Volume 25 Issue 6

Full text available:  [pdf\(960.90 KB\)](#)


Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

The need for searching a space of solutions appears often. Many problems, such as iteration over a dynamically created domain, can be expressed most naturally using a generate-and-process style. Serial programming languages typically support solutions of these problems by providing some form of generators or backtracking. A parallel programming language is more demanding since it needs to be able to express parallel generation and processing of elements. Failure driven computatio ...

## 19 A comparative analysis of two concepts in the generation of uniform pseudo-random numbers

George C. Canavos

January 1967 **Proceedings of the 1967 22nd national conference**

Full text available:  [pdf\(1.08 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

In recent years, considerable attention has been given to find reliable methods capable of producing, within a digital computer, pseudo-random numbers obeying the uniform distribution on the unit interval. Apparently, the most popular method has been the congruence algorithm whose basic form  $X_{i+1} \equiv aX_i + b \pmod{2^m}$  (1) can be easily implemented on a binary computer with word size of  $m$  bits. Since its introduction, a number o ...

## 20 Statistics, stationarity and random number generation

Robert Bohrer, Peter B. Imrey

December 1977 **Proceedings of the 9th conference on Winter simulation - Volume 1**

Full text available:  [pdf\(696.14 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

This paper remarks upon some issues involved in evaluating the "randomness" of numerical sequences. The question of how much to test is addressed, particularly with respect to pseudorandom generators. Historical failures of seemingly random sequences are noted. The dependence of evaluation programme upon proposed use of the sequence is stressed. The meaning and importance of stationarity are considered, and results from statistical



distribution theory useful in checking for it, ...

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)



Welcome United States Patent and Trademark Office

☐ Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "( series &lt;in&gt;metadata ) &lt;and&gt; ( data &lt;in&gt;metadata ) &lt;and&gt; ( generator &lt;i..."

Your search matched 89 of 1194402 documents.

e-mail

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

## » Search Options

[View Session History](#)[New Search](#)

## Modify Search

 ☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

## » Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Select Article Information

View: 1-25 | [26-](#)

- ☐ 1. **Estimation of distribution system load characteristics with time series data output**  
Okada, N.; Nanahara, T.; Kurokawa, K.;  
Photovoltaic Energy Conversion, 2003. Proceedings of 3rd World Conference  
Volume 3, 12-16 May 2003 Page(s):2288 - 2289 Vol.3  
Digital Object Identifier 10.1109/WCPEC.2003.1305044  
[AbstractPlus](#) | Full Text: [PDF](#)(286 KB) IEEE CNF
- ☐ 2. **Synchronous machine parameter estimation using the Hartley series**  
Melgoza, J.J.R.; Heydt, G.T.; Keyhani, A.; Agrawal, B.L.; Selin, D.;  
Energy Conversion, IEEE Transactions on  
Volume 16, Issue 1, March 2001 Page(s):49 - 54  
Digital Object Identifier 10.1109/60.911403  
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(136 KB) IEEE JNL
- ☐ 3. **Time series prediction by adaptive networks: a dynamical systems perspective**  
Lowe, D.; Webb, A.R.;  
Radar and Signal Processing, IEE Proceedings F  
Volume 138, Issue 1, Feb. 1991 Page(s):17 - 24  
[AbstractPlus](#) | Full Text: [PDF](#)(616 KB) IEE JNL
- ☐ 4. **Real time instability prediction through adaptive time series coefficients**  
Bretas, N.G.; Phadke, A.G.;  
Power Engineering Society 1999 Winter Meeting, IEEE  
Volume 1, 31 Jan.-4 Feb. 1999 Page(s):731 - 736 vol.1  
Digital Object Identifier 10.1109/PESW.1999.747547  
[AbstractPlus](#) | Full Text: [PDF](#)(424 KB) IEEE CNF
- ☐ 5. **Synchronous generator model identification using Volterra series**  
Fard, R.D.; Karrari, M.; Malik, O.P.;  
Power Engineering Society General Meeting, 2004. IEEE  
6-10 June 2004. Page(s):1344 - 1349 Vol.2  
[AbstractPlus](#) | Full Text: [PDF](#)(530 KB) IEEE CNF
- ☐ 6. **Certification support for automatically generated programs**  
Schumann, J.; Fischer, B.; Whalen, M.; Whittle, J.;  
System Sciences, 2003. Proceedings of the 36th Annual Hawaii International C

6-9 Jan 2003 Page(s):10 pp.  
Digital Object Identifier 10.1109/HICSS.2003.1174914  
[AbstractPlus](#) | Full Text: [PDF](#)(930 KB) IEEE CNF

- ☐ 7. **Peak load forecasting in power systems using emotional learning based**  
Rashidi, M.; Rashidi, F.; Monavar, H.;  
Systems, Man and Cybernetics, 2003. IEEE International Conference on  
Volume 2, 5-8 Oct. 2003 Page(s):1985 - 1988 vol.2  
[AbstractPlus](#) | Full Text: [PDF](#)(366 KB) IEEE CNF
  
- ☐ 8. **Modeling and prediction of session throughput of constant bit rate stream data networks**  
Liang Cheng; Marsic, I.;  
Wireless Communications and Networking, 2003. WCNC 2003. 2003 IEEE  
Volume 3, 16-20 March 2003 Page(s):1733 - 1741 vol.3  
[AbstractPlus](#) | Full Text: [PDF](#)(474 KB) IEEE CNF
  
- ☐ 9. **ARES: radar data generator for systems design and development**  
Greig, D.W.; Yarker, S.F.; McComb, C.;  
RADAR 2002  
15-17 Oct. 2002 Page(s):552 - 556  
[AbstractPlus](#) | Full Text: [PDF](#)(439 KB) IEEE CNF
  
- ☐ 10. **Automated interictal spike detection and source localization in MEG using spatial-temporal clustering**  
Ossadtchi, A.; Leahy, R.M.; Mosher, J.C.; Lopez, N.; Sutherling, W.;  
Biomedical Imaging, 2002. Proceedings. 2002 IEEE International Symposium  
7-10 July 2002 Page(s):785 - 788  
Digital Object Identifier 10.1109/ISBI.2002.1029375  
[AbstractPlus](#) | Full Text: [PDF](#)(374 KB) IEEE CNF
  
- ☐ 11. **Modelling financial time series with switching state space models**  
Azzouzi, M.; Nabney, I.T.;  
Computational Intelligence for Financial Engineering, 1999. (CIFER) Proceedings  
IEEE/IAFE 1999 Conference on  
28-30 March 1999 Page(s):240 - 249  
Digital Object Identifier 10.1109/CIFER.1999.771123  
[AbstractPlus](#) | Full Text: [PDF](#)(504 KB) IEEE CNF
  
- ☐ 12. **Digital measurement of FM transmitter quality**  
Nattrass, H.L.;  
Communications and Signal Processing, 1988. Proceedings., COMSIG 88. So  
Conference on  
24 June 1988 Page(s):135 - 139  
Digital Object Identifier 10.1109/COMSIG.1988.49316  
[AbstractPlus](#) | Full Text: [PDF](#)(344 KB) IEEE CNF
  
- ☐ 13. **A production performance database and query software for integrated circuit manufacturing**  
Farrell, B.L.;  
Semiconductor Manufacturing Science Symposium, 1990. ISMSS 1990., IEEE  
International  
21-23 May 1990 Page(s):39 - 43  
Digital Object Identifier 10.1109/ISMSS.1990.66126  
[AbstractPlus](#) | Full Text: [PDF](#)(316 KB) IEEE CNF
  
- ☐ 14. **Channel modelling based on N-state Markov chains for satcom systems**  
Castanet, L.; Deloues, T.; Lemorton, J.;

Antennas and Propagation, 2003. (ICAP 2003). Twelfth International Conferen  
 Publ. No. 491)  
 Volume 1, 31 March-3 April 2003 Page(s):119 - 122 vol.1  
[AbstractPlus](#) | Full Text: [PDF](#)(346 KB) IEE CNF

- ☐ **15. Electrical performance of a duct with segmented electrodes under variou**  
 De Montardy, A.; Pericart, J.;  
 Proceedings of the IEEE  
 Volume 56, Issue 9, Sept. 1968 Page(s):1547 - 1555  
[AbstractPlus](#) | Full Text: [PDF](#)(1084 KB) IEEE JNL
  
- ☐ **16. Final design of the control and auxiliary systems for the Balcones 60 MJ pulse power supply**  
 Hildenbrand, D.; Pichot, M.; Price, J.;  
 Magnetics, IEEE Transactions on  
 Volume 22, Issue 6, Nov 1986 Page(s):1516 - 1520  
[AbstractPlus](#) | Full Text: [PDF](#)(560 KB) IEEE JNL
  
- ☐ **17. A new high current laboratory and pulsed homopolar generator power su**  
**University of Texas**  
 Floyd, J.; Aanstoos, T.;  
 Magnetics, IEEE Transactions on  
 Volume 20, Issue 2, Mar 1984 Page(s):377 - 380  
[AbstractPlus](#) | Full Text: [PDF](#)(384 KB) IEEE JNL
  
- ☐ **18. Time-varying reactivity reconstruction via Walsh functions**  
 Tzafestas, S.; Chrysochoides, N.;  
 Automatic Control, IEEE Transactions on  
 Volume 22, Issue 5, Oct 1977 Page(s):886 - 888  
[AbstractPlus](#) | Full Text: [PDF](#)(256 KB) IEEE JNL
  
- ☐ **19. Effects of toothless stator design on dynamic model parameters of perm generators**  
 Arkadan, A.A.; Vyas, R.;  
 Energy Conversion, IEEE Transactions on  
 Volume 8, Issue 2, June 1993 Page(s):243 - 250  
 Digital Object Identifier 10.1109/60.222711  
[AbstractPlus](#) | Full Text: [PDF](#)(140 KB) IEEE JNL
  
- ☐ **20. An improved fault analysis algorithm for unbalanced multi-phase power systems**  
 Halpin, S.M.; Grigsby, L.L.; Gross, C.A.; Nelms, R.M.;  
 Power Delivery, IEEE Transactions on  
 Volume 9, Issue 3, July 1994 Page(s):1332 - 1338  
 Digital Object Identifier 10.1109/61.311160  
[AbstractPlus](#) | Full Text: [PDF](#)(564 KB) IEEE JNL
  
- ☐ **21. Observation and analysis of chaos with digitalizing measure in a CMOS r**  
 Jun-Qi Zhu; Takakubo, H.; Shono, K.;  
 Circuits and Systems I: Fundamental Theory and Applications, IEEE Transacti  
 Circuits and Systems I: Regular Papers, IEEE Transactions on  
 Volume 43, Issue 6, June 1996 Page(s):444 - 452  
 Digital Object Identifier 10.1109/81.503253  
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(952 KB) IEEE JNL
  
- ☐ **22. Identification and validation of dynamic global load model parameters for system frequency simulations**  
 O'Sullivan, J.W.; O'Malley, M.J.;

Power Systems, IEEE Transactions on  
Volume 11, Issue 2, May 1996 Page(s):851 - 857  
Digital Object Identifier 10.1109/59.496165

[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(676 KB) IEEE JNL

- ☐ **23. A three-phase sag generator for testing industrial equipment**  
Collins, E.R., Jr.; Morgan, R.L.;  
Power Delivery, IEEE Transactions on  
Volume 11, Issue 1, Jan. 1996 Page(s):526 - 532  
Digital Object Identifier 10.1109/61.484138  
[AbstractPlus](#) | Full Text: [PDF](#)(792 KB) IEEE JNL
- ☐ **24. Phasor dynamics of thyristor-controlled series capacitor systems**  
Mattavelli, P.; Verghese, G.C.; Stankovic, A.M.;  
Power Systems, IEEE Transactions on  
Volume 12, Issue 3, Aug. 1997 Page(s):1259 - 1267  
Digital Object Identifier 10.1109/59.630469  
[AbstractPlus](#) | Full Text: [PDF](#)(904 KB) IEEE JNL
- ☐ **25. Pulsed power generation using open and closed ferromagnetic circuits**  
Shkuratov, S.I.; Kristiansen, M.; Dickens, J.C.; Hatfield, L.L.; Martin, R.;  
Plasma Science, IEEE Transactions on  
Volume 28, Issue 5, Oct. 2000 Page(s):1347 - 1352  
Digital Object Identifier 10.1109/27.901196  
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(124 KB) IEEE JNL

View: 1-25 | 26-

Indexed by  
 Inspec

[Help](#) [Contact Us](#) [Privacy & :](#)

© Copyright 2005 IEEE -